

**To:** Kelly, Dan[dan.kelly@vistraenergy.com]; Kordzi, Joe[Kordzi.Joe@epa.gov]  
**Bcc:** Donaldson, Guy[Donaldson.Guy@epa.gov]  
**From:** Stenger, Wren  
**Sent:** Tue 3/21/2017 4:10:37 PM  
**Subject:** RE: BART CBI scrubber upgrade analysis - Luminant

Dan, I am copying Joe Kordzi, who is the lead on the Tx BART. He will coordinate your request.

Sent from my Windows Phone

---

**From:** Kelly, Dan  
**Sent:** 3/21/2017 10:54 AM  
**To:** Stenger, Wren  
**Subject:** BART CBI scrubber upgrade analysis - Luminant


Wren,

I am writing to obtain EPA's scrubber upgrade analysis for the Texas BART proposal that contains CBI information for Luminant's facilities. The proposal notes that EPA "invite[s] the [affected] facilities . . . to make arrangements with us to view our complete updated cost analysis for their units." 82 Fed. Reg. 912, 928 (Jan. 4, 2017).

Please provide this document to me in electronic format at your earliest convenience. I'd be happy to send someone over to collect the disc when it is ready.

Regards,

Dan



<b>Daniel Jude Kelly</b>  <b>Vice President</b>  <b>Associate General Counsel</b>  Dan.Kelly@vistraenergy.com vistraenergy.com	Vistra Energy 1601 Bryan Street  43 <sup>rd</sup> Floor  Dallas, TX 75201 o 214.812.7182
---	--